

DASH

PHIBER



DASH Concept

Brilliantly Fast


The DASH design has two primary objectives:

1. Keep the sprayer spraying by reducing fill times
2. Keep chemicals safely separated during sprayer loading



Convenient foot-pedal rinse controls are standard on all models.

All inductors come with flip-up lids, and can be fitted with an optional jug knife.




Each inductor automatically rinses itself after every sprayer fill.



As each control handle is closed, each inductor is automatically rinsed and drained before the main inductor valve is closed.

The control handles located on the side of the DASH unit allow for the sprayer to be loaded completely from a single ground-level station.



The air-powered diaphragm pump is the heart of the rinse and agitate system. This air-diaphragm pump powers all of the primary functions of the DASH including; inductor and jug rinsing, dry chemical agitation, and supplies fresh water to the included hand sprayer.



INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY

DASH Concept




open camera-hover-open




All DASH units include a QR code that, when scanned, will take you to **PhiBer University**; watch videos on installation, training and best practices.

Rinse functions are supplied with fresh water from bulk water storage. Alternatively, water or solution can be drawn directly from the "D" inductor.



The inductor rinse system automatically engages when chemical is being unloaded, rinsing and draining the inductor.



Inductors have anti-vortex plates which increase unloading speeds. This reduces the amount of air being drawn into the water stream, minimizing foaming.

Each DASH comes standard with a water-agitate in the "D" inductor. An optional dry-mix agitator equipped with steel impellers is available to get higher volumes of dry product into suspension more quickly.

DASH 1.4

DASH 1.4 is the newest addition to the DASH family.

The DASH 1.4 boasts the capability to grow with your operation by daisy chaining Primary and multiple Secondary units to fit your requirements, all while offering the same features of the 2.4 and 4.4 models.

Standard air-agitate included on Primary units.

Standard 1" air-diaphragm pump on all DASH 1.4 Primary units.

25"

54"

61"

75 gallons of storage for each of the Primary and Secondary DASH 1.4 models.

Standard hand sprayer on Primary units.


Compatible kits available for use with the DASH 1.4,

- Dry-mix agitate
- Jug Knife
- Tote transfer hose
- Boom
- Hose reel
- Steps
- Tanks
- Bag holder
- 4-wheeler ramp
- Cargo net
- Ratchet straps
- Cage
- Tote platform




INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY

DASH 1.4




*Primary and two Secondary units displayed.

DASH 1.4 units are compatible with 3" plumbing fittings.



*Rear of Primary and two Secondary units displayed.



Easy-to-read indicators.

Inductor controls in two locations
lend flexibility to control the DASH
1.4 from the trailer or ground level.

Foot pedal controls inductor
rinse functions.

DASH 2.4

DASH 2.4 boasts the same features as its big brother in a smaller package.

All of the functionality of the DASH 4.4 in a smaller footprint.



56"

59"




Easy-to-read indicators.

150 Gallons of Storage:
2 x 75 gallon

Displayed with an optional electric-start Honda and 3" Hypro pump.

Ground-level controls allow operator to access DASH functions from one central location.



The air-diaphragm pump is controlled by an adjustable regulator.

The convenience of an abbreviated footprint allows for placement in confined areas.



INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY

DASH 4.4 Rear



Rear mount includes tail lights and flip-down deck.

The rear-mount DASH 4.4 is designed for existing tanker, flatdeck or grain-box applications.

The rear-mount DASH 4.4 comes with all the same features as the center-mount DASH and includes; a flip-down work platform, DOT-approved lighting and license plate holder.



DASH 4.4

DASH 4.4 is designed to maximize efficiency and increase chemical efficacy


Four 75-gal (285-ltr) inductors for 300 gallons (1,140 litres) of total chemical capacity, allows the DASH to service modern high-volume sprayers.

Easy-to-ready indicators.




The DASH 4.4 comes standard with an electric-start Honda motor and high-volume water pump.


98.50"



67.25"



Easy-pull handles allow the operator to control the DASH from one central location and load the sprayer from ground level.



Two additional air-diaphragm chemical-transfer pumps can be integrated into the DASH.



INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY

DASH 4.4



DASH Options

4.4

Available on 4.4 model DASH

2.4

Available on 2.4 model DASH



TANKS 4.4 2.4

Includes hoops for mounting and internal baffles.

735 (Gal)	48 x 104 x 54
3250 (Gal)	88 x 146 x 79
3750 (Gal)	88 x 146 x 91
4250 (Gal)	88 x 146 x 101



TOTE HOSE

4.4 2.4



RATCHET STRAPS

4.4 2.4

4 WHEEL RAMP KIT 4.4 2.4



FIREHOSE 4.4



REAR OR SIDE REFILL 4.4



CAGE WITH TOTE PLATFORM 4.4

STEP KIT 4.4 2.4



GAS CAN 4.4



PRESSURE WASHER 4.4

14hp 4000 PSI 3.5 GPM
75ft hose




TOTE RINSE KIT 4.4 2.4




INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY

DASH Options



**CHEMICAL
TRANSFER PUMP**
4.4 2.4

Choose from a 20
GPM or 40 GPM
rated pump



FUEL TANK 4.4
20GPM 25ft fuel line
200gal/900L
Auto shut-off

TOTE PLATFORM 4.4 2.4



3" INTAKE FILTER 4.4


LIGHT KIT 4.4 2.4



DECK BULKHEAD 4.4 2.4

BOOM OR DUAL BOOM KIT 4.4 2.4

CARGO NET 4.4 2.4



BOOM BLOWOUT 4.4 2.4



TRAILER LIGHTING KIT 4.4 2.4

60-GAL AIR STORAGE KIT 4.4 2.4



LADDER KIT 4.4



DASH Accessories

All DASH kits are available as independant modular additions or upgrades to any spray-tender applications...

*Fitment restrictions may apply.



CAGE TOTE
TRANSFER HOSE **4.4**



3" INTAKE FILTER **4.4**



PRESSURE WASHER **4.4**
14hp 4000 PSI 3.5 GPM



DECK BULKHEAD **4.4 2.4**
1.4



MANIFOLD **4.4 2.4**



JUG KNIFE **4.4 2.4**
1.4



TOTE TRANSFER
HOSE **4.4 2.4**
1.4



FIREHOSE **4.4**



DRY AGITATOR **4.4 2.4**
1.4



CHEMICAL
TRANSFER PUMP **4.4 2.4**
Choose from a 20
GPM or 40 GPM
rated pump



BOOM BLOWOUT **4.4 2.4**



DUAL BOOM **4.4 2.4**



BOOM **4.4 2.4**
1.4

3" HOSE REEL **4.4 2.4**
1.4



SPECIAL EDITION
HUNTER BROTHERS
SPECIAL EDITION **4.4**



INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY


DASH Accessories



TRAILER STEPS **4.4** **2.4**



GAS CAN **4.4**



FUEL TANK **4.4**
20GPM 25ft fuel line
200gal/900L
Auto shut-off



LIGHT KIT **4.4** **2.4**
1.4



TRAILER LIGHTING **4.4**



BAG HOLDER **4.4** **2.4**
1.4



RATCHET STRAPS **4.4** **2.4**
1.4



60-GALLON AIR STORAGE **4.4**



TOTE PLATFORM **4.4** **2.4**
1.4




LADDER KIT **4.4** **2.4**
1.4



4 WHEEL RAMP KIT **4.4** **2.4**
1.4



CAGE WITH TOTE PLATFORM **4.4** **2.4**
1.4



CARGO NET **4.4** **2.4**
1.4



TANKS **4.4** **2.4** **1.4**

Includes hoops for mounting & internal baffles.

735 (Gal)	48 x 104 x 54
3250 (Gel)	88 x 146 x 79
3750 (Gal)	88 x 146 x 91
4250 (Gal)	88 x 146 x 101

Trailer Packages

*All trailers available with multiple water capacities.

Pintle Trailer

- Spring-Ride suspension
- Four Tote Capacity
- Two DASH Options
- DASH 2.4 or 4.4 Available



28' Gooseneck

- Spring-Ride Suspension
- Four Tote Capacity
- DASH 2.4 or 4.4 Available



45' Tandem

- Air or Spring-Ride Trailer Option
- Eight Tote Capacity
- DASH 4.4 Standard



Sprayer Trailer

- Air-Ride Suspension
- 4 Tote or Pallet Carrying Capacity
- DASH 4.4 Standard



45' Tri-Axle

- Air-Ride Suspension
- 8 Tote or Pallet Carrying Capacity
- DASH 4.4 Standard



50' Tri-Axle

- Air-Ride Suspension
- 12 Tote or Pallet Carrying Capacity
- DASH 4.4 Standard



Specifications



Measurement		1.4 Primary		1.4 Secondary		2.4		4.4 Rear		4.4 Center	
Width	in (cm)	25	64	25	64	56	142	99	251	99	251
Length	in (cm)	54	137	54	137	59	150	71	180	71	180
Height	in (cm)	61	155	61	155	62	157	71	180	71	180
Weight	lb (kg)	120	55	110	50	600	273	1350	614	1330	605

DASH Specifications


13hp Honda w/ Hypro Pump				✓	✓
6.5hp Honda w/ Pacer Pump			✓		
75gal (254L) Inductor Capacity	x1	x1	x2	x4	x4
Air-Diaphragm Pump	20 GPM		20 GPM	40 GPM	40 GPM
Manual Hand Sprayer	✓		✓	✓	✓
Rear Tail Lights					✓
Flip Down Rear Work Platform					✓

Requirements

3" Water Supply Line

1.5" Water Supply Line

3/8" Air Supply



CANADA

108 New Hope Dr., Box 58
Crystal City, MB R0K 0N0

USA:

68 Main Steet, Box 54
Sarles, ND 58372

Toll Free: 866.264.8030

International: 204.873.2448
www.PhiBer.ca



INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY