


DASH

CATALOG 2025



TABLE OF CONTENTS

TABLE OF CONTENTS	2
PHIBER UNIVERSITY	4
PHIBER.SHOP	5
DASH CONCEPT	6
DASH MODELS	8
DASH 1.6	10
DASH 2.6	12
DASH 4.6 REAR MOUNT	13
DASH 4.6	14
DASH TRAILER PACKAGES	16
BUILD YOUR OWN DASH TRAILER	18
DASH CARRIER	20
DASH KITS BY MODEL	22
INDIVIDUAL KITS	24





WE ARE A PROGRESSIVE MANUFACTURING COMPANY THAT DEVELOPS PRACTICAL, RELIABLE EQUIPMENT DESIGNED TO INCREASE PRODUCTIVITY FOR OUR AGRICULTURE CLIENTS.

VISION

By empowering people through excellence in innovation and support, we are committed to being the industry leader in the products we offer, always creating an experience to be sought after.

MISSION

Creating innovative solutions that empower growth and efficiency.

VALUES

EXCELLENCE ALWAYS

Strive for excellence in everything we do.

EMPOWERING GROWTH

Foster growth of people in all aspects.

INNOVATION CULTURE

Encourage change, through innovative processes, products, and services.

STRONG COMMUNITY

Build a strong community by nurturing relationships internal and external to PhiBer.





Training & Empowering



How To Clean Your DASH 6 Series Mixing System

To learn more visit: <https://phiber.ca/dash/> Build and quote your custom DASH Sprayer Tender Trailer today! <https://phiber-dash.netlify.app/> The DASH was developed to accomplish two primary objectives: --Reduce fill times to keep the sprayer spraying. --Keep chemicals separated to guarantee chemical efficacy. The DASH automates chemical mixing and cleaning, reducing the possibility for human error, decreasing the time needed to fill a sprayer.



How To Operate Your DASH 6 Series Mixing System

To learn more visit: <https://phiber.ca/dash/> Build and quote your custom DASH Sprayer Tender Trailer today! <https://phiber-dash.netlify.app/> The DASH was developed to accomplish two primary objectives: --Reduce fill times to keep the sprayer spraying. --Keep chemicals separated to guarantee chemical efficacy. The DASH automates chemical mixing and cleaning, reducing the possibility for human error, decreasing the time needed to fill a sprayer.



How To Winterize Your DASH 6 Series Mixing System

To learn more visit: <https://phiber.ca/dash/> Build and quote your custom DASH Sprayer Tender Trailer today! <https://phiber-dash.netlify.app/> The DASH was developed to accomplish two primary objectives: --Reduce fill times to keep the sprayer spraying. --Keep chemicals separated to guarantee chemical efficacy. The DASH automates chemical mixing and cleaning, reducing the possibility for human error, decreasing the time needed to fill a sprayer.

Watch videos on installation, training and best practices all DASH units include a QR code that, when scanned, will take you to **PhiBer University**.



PHIBER

.SHOP



Visit PhiBer.SHOP for ready-to-order accessories and high-quality components that we know and trust in our own PhiBer systems!



- 1 +

 Add to cart



ORANGE VIP

EXPERIENCE EXCLUSIVE DISCOUNTS, DEALS, AND MORE WITH AN ORANGE VIP MEMBERSHIP! EXCLUSIVELY AVAILABLE WITH THE PURCHASE OF A COMPLETE TRAILER PACKAGE.



As Easy As 1, 2, 3...

DASH Concept

STEP 1: LOAD CHEMICALS QUICKLY & SAFELY

THE 6 SERIES DASH HAS A PATENT PENDING DUAL STAGE OPERATED VALVE. THIS QUICKLY EMPTIES THE JUG WITH A SHOT OF AIR FOLLOWED BY FRESH RINSE WATER.

NEW DUAL STAGE EMPTY AND RINSE:



STAGE 1: Push foot-pedal half way down to force product out of jug with air.


STAGE 2: Push your foot all the way down to rinse out jug with water. This system is faster & more thorough than the knife system.

An air line is paired through the rinse line, enabling the injection of air into the jug, forcing its contents into the inductor faster.

All DASH inductors can be fitted with a pneumatic dry mix agitator.

Inductors have anti-vortex plates which increase unloading speeds. This reduces the amount of air drawn into the water stream, minimizing foaming.

When the inductor is unloaded, it automatically washes, and then drains the rinse water.



Convenient foot-pedal rinse controls are standard on all models.

STEP 2: KEEP CHEMICALS SEPERATE & EFFECTIVE

STEP 3: UNLOAD & RINSE


All inductors come with flip-up lids, and can be fitted with an optional jug knife.



DUAL STAGE UNLOAD AND RINSE:

EACH INDUCTOR AUTOMATICALLY RINSES WITH FRESH WATER ONCE UNLOADED INTO THE SPRAYER VIA DUAL STAGE GROUND LEVEL CONTROLS

As each control handle is closed, each inductor is automatically rinsed and drained before the main inductor valve is closed.



The air-powered diaphragm pump is the heart of the rinse and agitate system. This air-diaphragm pump powers all of the primary functions of the DASH including; inductor and jug rinsing, dry chemical agitation, and supplies fresh water to the included hand sprayer.

Ground-level unload controls.

All models are available with Pump & Motor combination of choice.



Brilliantly Fast

THE DASH DESIGN HAS TWO PRIMARY OBJECTIVES:

1. Keep the sprayer spraying by reducing fill times
2. Keep chemicals safely separated during sprayer loading

DASH Models



DASH 1.6 PRIMARY PAGE 10

THE DASH 1.6 IS DESIGNED TO GROW WITH YOUR OPERATION.




DASH 1.6 SECONDARY(S)

DASH 2.6 PAGE 12

DASH 2.6 BOASTS THE SAME FEATURES AS ITS BIG BROTHER IN A SMALLER PACKAGE.





DASH 4.6 PAGE 14

DASH 4.6 IS DESIGNED TO MAXIMIZE EFFICIENCY AND INCREASE CHEMICAL EFFICACY.

DASH 4.6 REAR MOUNT PAGE 13

THE REAR-MOUNT DASH 4.6 IS DESIGNED FOR EXISTING TANKER, FLATDECK OR GRAIN-BOX APPLICATIONS.




LEARN MORE ABOUT THE DASH PRODUCT LINE BY VISITING:



ALLOW THE DASH 1.6 TO GROW WITH YOUR OPERATION

By combining Primary and multiple Secondary units to fit your requirements, the DASH 1.6 offers the same features of the 2.6 and 4.6 models.

DASH 1.6






DASH 1.6

DASH 1.6 units are set-up with 3" plumbing fittings, but can be changed to 2" upon request.


Multiple secondary units can be added to the Primary DASH 1.6, to handle multiple chemical requirements per load.



DASH 1.6 Primary

DASH 1.6 Secondary(s)

Easy-to-read indicators.



Inductor controls in two locations lend flexibility to control the DASH 1.6 from the trailer or ground level.

Foot pedal controls inductor rinse functions.

COMPATABLE KITS:

- Cage
- Tote platform
- Dry-mix agitate
- Jug Knife
- Boom
- Hose reel
- Steps
- Tanks

Measurement		1.6 Primary	1.6 Secondary
Width	in (mm)	25 (640)	25 (64)
Length	in (mm)	54 (1370)	54 (137)
Height	in (mm)	61 (1550)	61 (155)
Weight	lb (kg)	120 (55)	110 (50)
DASH Specifications			
75gal (285L) Inductor Capacity		x1	x1
Air-Diaphragm Rinse Pump		20 GPM (75.7 LPM)	NA
Manual Hand Sprayer		✓	NA
Water Agitate		✓	NA
Dry Mix Agitate		OPTIONAL	OPTIONAL
Jug Knife		OPTIONAL	OPTIONAL




DASH 2.6 BOASTS THE SAME FEATURES AS ITS BIG BROTHER IN A SMALLER PACKAGE.

DASH 2.6

ALL OF THE FUNCTIONALITY OF THE DASH 4.6 IN A SMALLER FOOT PRINT.

56"



59"

150 GALLONS OF STORAGE

2 x 75 gallon (285 L)



Easy-to-read indicators.

Displayed with an optional electric-start Honda and 3" pump of choice.

Ground-level controls allow operator to access DASH functions from one central location.


The air-diaphragm pump is controlled by an adjustable regulator.



Measurement		2.6
Width	in (mm)	56 (1420)
Length	in (mm)	59 (1500)
Height	in (mm)	62 (1570)
Weight	lb (kg)	600 (273)
DASH Specifications		
Pump of Choice		✓
75gal (285L) Inductor Capacity		x2
Air-Diaphragm Rinse Pump		20 GPM (75.7 LPM)
Manual Hand Sprayer		✓
Water Agitate		✓
Dry Mix Agitate		OPTIONAL x2
Jug Knife		OPTIONAL x2
Air-Diaphragm Chem Pump		OPTIONAL x1



DASH 4.6 Rear



THE REAR-MOUNT DASH 4.6 IS DESIGNED FOR EXISTING TANKER, FLATDECK OR GRAIN-BOX APPLICATIONS.

The rear-mount DASH 4.6 comes with all the same features as the center-mount DASH and includes a flip-down work platform, DOT-approved lighting and license plate holder.

Measurement		4.6 Rear
Width	in (mm)	99 (2510)
Length	in (mm)	71 (1800)
Height	in (mm)	71 (1800)
Weight	lb (kg)	1350 (614)
DASH Specifications		
Pump of Choice		✓
75gal (254L) Inductor Capacity		x4
Air-Diaphragm Rinse Pump		40 GPM (151.4 LPM)
Manual Hand Sprayer		✓
Rear Tail Lights		✓
Flip Down Rear Work Platform		✓
Dry Mix Agitate		OPTIONAL x4
Jug Knife		OPTIONAL x4
Air-Diaphragm Chem Pump		OPTIONAL x2





DASH 4.6 IS DESIGNED TO MAXIMIZE EFFICIENCY AND INCREASE CHEMICAL EFFICACY

DASH 4.6


Four 75-gal (285 L) inductors for 300 gallons (1,140 L) of total chemical capacity allows the DASH to service modern high-volume sprayers.

Easy-to-ready indicators.



The DASH 4.6 comes standard with an electric-start Honda motor and high-volume water pump.


98.50"



67.25"



Easy-pull handles allow the operator to control the DASH from one central location and load the sprayer from ground level.



Two additional air-diaphragm pumps can be integrated for chemical transfer from totes.

Measurement		4.6 Center
Width	in (mm)	99 (2510)
Length	in (mm)	71 (1800)
Height	in (mm)	71 (1800)
Weight	lb (kg)	1330 (605)
DASH Specifications		
Pump of Choice		✓
75gal (254L) Inductor Capacity		x4
Air-Diaphragm Rinse Pump		40 GPM (151.4 LPM)
Manual Hand Sprayer		✓
Dry Mix Agitate		OPTIONAL x4
Jug Knife		OPTIONAL x4
Air-Diaphragm Chem Pump		OPTIONAL x2

DASH 4.6

PHIBER.CA | 1.866.264.8030




DASH CARRIER

- 2-4 Drone Capacity
- Above Deck Control Tower
- Many water and axle configurations available



28' GOOSENECK OR PINTLE

- Spring-Ride Suspension
- Four Tote Capacity
- DASH 2.6 or 4.6 Available



45' TANDEM

- Air or Spring-Ride Trailer Option
- Eight Tote Capacity
- DASH 4.6 Standard



SPRAYER TRAILER

- Air-Ride Suspension
- 4 Tote or Pallet Carrying Capacity
- DASH 4.6



45' TRI-AXLE

- Air-Ride Suspension
- 8 Tote or Pallet Carrying Capacity
- DASH 4.6 Standard



50' TRI-AXLE

- Air-Ride Suspension
- 12 Tote or Pallet Carrying Capacity
- DASH 4.6 Standard





Build Your Own DASH Trailer

TANKS

Includes hoops for mounting and internal baffles.


735 (Gal)	48 x 104 x 54
3250 (Gal)	88 x 146 x 79
3750 (Gal)	88 x 146 x 91
4250 (Gal)	88 x 146 x 101



HUNTER BROTHERS SPECIAL EDITION

Includes: Sound System, Yeti Cooler, Pneumatic Overhead Lighting and more!

DELUX TRAILER LIGHTING KIT



CHEMICAL TRANSFER PUMP



SINGLE BOOM OR DUAL BOOM KIT



CAGE TOTE RINSE KIT



REAR OR SIDE REFILL



60-GAL AIR STORAGE KIT



FIRE HOSE



3" INTAKE FILTER



CARGO NET

STEP KIT



Build Your Own DASH Trailer



CAGE WITH TOTE PLATFORM



RATCHET STRAPS



GAS CAN



FUEL TANK

20GPM 25ft fuel line
200gal/900L
Auto shut-off nozzle



TOTE TRANSFER HOSE



PRESSURE WASHER

14hp 4000 PSI 3.5 GPM
75ft hose




MANIFOLD



TOTE PLATFORM

LADDER KIT



4 WHEEL RAMP KIT




BUILD YOUR OWN DASH TODAY!



TAKE YOUR SPRAY SEASON TO NEW HEIGHTS...

DASH Carrier

The DASH Carrier is the latest innovation in the PhiBer line of spray tendering, bringing cutting edge technology to the drone industry.




UNIFRAME TRAILER

Standard Equipment:

- 30ft Uniframe design
- Control Tower
- Configurable Chemical Storage
- Space for 2 totes plus stackable 150gal storage containers for bulk products
- Breaker Panel sized for matching Generator
- Touch Screen Controls for Hot Tank Management from Control Station

Optional Equipment

- 40kw or 70kw continuous duty Silent Generators available in varying phases and voltages, 14+ hrs of run time, Perkins or Deutz diesel engines with engine mounted air compressor (14cfm @120psi). Generators meet T4 Final emissions standards.
- 16.5k axles with 2350 gals of water
- 16.5k axles with 1850 gals of water
- 12k axles with 1065 gals of water



DASH Carrier

MIXING

Standard Equipment:

- 500 gal of Hot Mix Storage (2 x 250gal)
- Drone refill hose
- Drone rinsing and wash station
- Pneumatic pumps for chemical transfer, mixing and loading drones

Optional Equipment

- Choose either mixing system for making batches of product
 - PhiBer Dash 1.6 Mixing Station (manual)
 - Praxidyn Mixmate (automated)
- Air Diaphragm Chemical Transfer pumps



CONTROL TOWER

Standard Equipment:

- Roof to provide Shade
- Two Operators Chairs
- Dual Work Stations
- 120V plugs and USB charging


Optional Equipment

- Screened in Control Station
- Climate Controlled Control Tower with Air Conditioning
- Storage Drawers under Work Stations
- Lighting for night operations
- Speaker System for Music





DASH Kits By Model



DASH 4.6 CENTER & REAR MOUNT

- 400145 Center Mount DASH 4.6
- 400125 Rear Mount DASH 4.6
- 400150 Suction Boost Kit
- 400133 Banjo Wet-Seal Pump, 13-HP Honda Electric Start
- 400131 John Blue Pump, 13-HP Honda Electric Start
- 400130 John Blue Cast Iron Pump, 13-HP Honda Electric Start
- 400119 Jug Knife
- 400033 Chem Transfer Air Pump, 1" x2 (20 GPM)
- 400086 Chem Transfer Air Pump, 1 1/2" x2 (40GPM)
- 400070 Dry Mix Agitate
- 400137 Storage Cover
- 400146 Gas Can
- 400167 Light Kit
- 400085 IBC Tote Rinse




400146



400070



400131



400150

DASH Kits By Model




DASH 2.6

- 400151 DASH 2.6
- 400132 Pacer, 6.5-HP
- 400133 Banjo Wet-Seal Pump, 13-HP
- 400131 John Blue Pump, 13-HP
- 400130 John Blue Cast Iron Pump, 13-HP
- 400119 Jug Knife
- 400070 Dry Mix Agitate
- 400085 IBC Tote Rinse
- 400033 Chem Transfer Air Pump, 1" (20 GPM)
- 400086 Chem Transfer Air Pump, 1 1/2" (40GPM)

DASH 1.6

- 400103 DASH 1.6 Primary
- 400124 DASH 1.6 Secondary
- 400119 Jug Knife
- 400070 Dry Mix Agitate
- 400129 Chem Transfer Air Pump (Stackable), 1 1/2" (40GPM)



400033 & 400086



400119



**ALL DASH KITS ARE AVAILABLE AS INDEPENDANT
MODULAR ADDITIONS OR UPGRADES TO ANY
SPRAY-TENDER APPLICATIONS...**

CHEMICAL MANAGEMENT ACCESSORIES

- 400114 Free-Standing Tote Platform
- 400078 Tote Platform
- 400083 Under Platform Cargo Net
- 400058 Ladder Kit
- 400035 Tote Transfer Hose 1 1/2" x 10'
- 400077 Tote Strap Kit (Set of 4)
- 400079 Cage 72"
- 400080 Cage 54"
- 400088 Bag Holder
- 400097 Cage Tote Transfer Hose
- 400133 Banjo Wet-Seal Pump, 13-HP Honda
- 400131 John Blue Pump, 13-HP Honda
- 400130 John Blue Cast Iron Pump, 13-HP Honda
- 400033 Chem Transfer Air Pump, 1" (20 GPM)
- 400086 Chem Transfer Air Pump, 1 1/2" (40 GPM)
- 400129 Chem Transfer Air Pump, 1 1/2" (40 GPM) (Stackable)
- 400085 IBC Tote Rinse




400078



400114



400129



400035



400083




400079 & 400080




400088




400097



400077



400133



400033 & 400086



400085



ALL DASH KITS ARE AVAILABLE AS INDEPENDANT MODULAR ADDITIONS OR UPGRADES TO ANY SPRAY-TENDER APPLICATIONS...

FLUID TRANSFER ACCESSORIES

- 400075 Boom
- 400023 Standalone Boom Mount
- 400084 Dual Boom
- 400094 Boom Blowout
- 400093 Fire Nozzle (75')
- 400240 Electric Hose Reel (Hose Not Incl.)



400075



400023



400094




400084

WATER MANAGEMENT ACCESSORIES

- 400095 Water Control Manifold
- 400444 6" to 4" QDC
- 400096 Aux Side Fill
- 400098 Aux Rear Fill
- 400126 3" Intake Filter
- 400107 3/4" Hose, Tank Fill
- 400108 2" Hose, Tank Fill
- 400005 Deck Bulk Head



400005




400108 & 400107



400240



400126



400096




400095

MISCELLANEOUS ACCESSORIES

- 400058 Ladder Kit
- 400089 ATV Ramp Kit
- 400059 60-Gal Air Storage Tank
- 400123 Fuel Tank
- 400127 Pressure Washer (14hp, 4000 PSI, 3.5 GPM, 75ft hose)
- 400026 Trailer Steps (41")
- 400055 Trailer Steps (34")
- 400163 Hunter Brothers Special Edition
- 400166 Solar Charger



400055



400127



Includes: Sound System, Yeti Cooler,
Pneumatic Overhead Lighting and
more!


400163




400059



400166



400089



400123

PHIBER .SHOP

INNOVATIVE DESIGN • PARTNERS IN EFFICIENCY



CANADA:
108 New Hope Dr., Box 58
Crystal City, MB R0K 0N0

USA:
68 Main Steet, Box 54
Sarles, ND 58372

Toll Free: 866.264.8030
International: 204.873.2448
www.PhiBer.ca

Specifications, weights, dimensions and descriptions are estimates but are not guaranteed and are subject to change without notice.

02/2025