




TABLE OF CONTENTS

PHIBER: VISION, MISSION AND VALUES	5
PHIBER UNIVERSITY	6
PHIBER.SHOP	7
DASH CONCEPT	8
DASH MODELS	10
DASH 1.6	
DASH 2.6	14
DASH 4.6 REAR MOUNT	15
DASH 4.6	16
DASH TRAILER PACKAGES	18
BUILD YOUR OWN DASH TRAILER	20
DASH CARRIER	22
DASH KITS BY MODEL	24
INDIVIDUAL KITS	26





WE ARE A PROGRESSIVE MANUFACTURING COMPANY THAT DEVELOPS PRACTICAL, RELIABLE EQUIPMENT DESIGNED TO INCREASE PRODUCTIVITY FOR OUR AGRICULTURAL CLIENTS.

VISION

By empowering people through excellence in innovation and support, we are committed to being the industry leader in the products we offer — always creating an experience worth seeking.

MISSION

We create innovative solutions that empower growth and drive efficiency.

VALUES

EXCELLENCE ALWAYS

Pursuing excellence in everything we do.

EMPOWERING GROWTH

Fostering growth in people through every stage and skill.

INNOVATIVE CULTURE

Driving change through innovative processes, products, and services.

STRONG COMMUNITY

We build a strong community by nurturing relationships both within PhiBer and with those we serve.







TRAINING & EMPOWERING



How to Clean Your DASH 6-Series Mixing System

To learn more, visit: https://phiber.ca/dash/ Build and quote your custom DASH Sprayer Tender Trailer today: https://phiber-dash.netlify.app

The DASH was developed to accomplish two primary objectives: • Reduce fill times to keep the sprayer operating efficiently

- Maintain chemical separation to ensure application efficacy

of human error and decreasing the time needed to fill a sprayer—ultimately improving overall sprayer productivity.

Design Features:

- The DASH includes two pumps:

 A high-volume water pump (13 hp Honda motor, rated at 430 GPM)

 An air-diaphragm pump (capable of 40 GPM) used for auto-rinsing



How to Operate Your DASH 6-Series Mixing System

To learn more, visit: https://phiber.ca/dash/ Build and quote your custom DASH Sprayer Tender Trailer today https://phiber-dash.netlify.app

The DASH was developed to accomplish two primary objectives:

- Reduce fill times to keep the sprayer operating efficiently
- Maintain chemical separation to ensure application efficacy

of human error and decreasing the time needed to fill a sprayer—ultimately improving overall sprayer productivity

Design Features:

- The DASH includes two pumps:

 A high-volume water pump (13 hp Honda motor, rated at 430 GPM)

 An air-diaphragm pump (capable of 40 GPM) used for auto-rinsing



How to Winterize Your DASH 6-Series Mixing System

To learn more, visit: https://phiber.ca/dash/ Build and quote your custom DASH Sprayer Tender Trailer today https://phiber-dash.netlify.app

The DASH was developed to accomplish two primary objectives:

- Reduce fill times to keep the sprayer operating efficiently
- Maintain chemical separation to ensure application efficacy

of human error and decreasing the time needed to fill a sprayer—ultimately improving overall sprayer productivity.

Design Features:

- The DASH includes two pumps:

 A high-volume water pump (13 hp Honda motor, rated at 430 GPM)

 An air-diaphragm pump (capable of 40 GPM) used for auto-rinsing




Watch installation, training, and best-practices videos — every DASH unit includes the QR code that links directly to PhiBer University.

Everything You Need For Your Trailer – Configure, Order, And Save.


www.phiber.shop | 1.866.264.8030







Build your dream trailer with our configurator!







Unlock exclusive
Orange VIP discounts
on PhiBer.SHOP with
a DASH trailer package.

Scan to start shopping instantly





As Easy As 1, 2, 3...

STEP 1: LOAD CHEMICALS QUICKLY AND SAFELY

THE 6-SERIES DASH FEATURES A PATENT-PENDING DUAL-STAGE OPERATED VALVE THAT QUICKLY EMPTIES THE JUG WITH A BURST OF AIR, FOLLOWED BY FRESH RINSE WATER.

NEW DUAL-STAGE EMPTY AND RINSE SYSTEM:

STAGE 1: Depress the foot pedal until pressurized air forcefully empties the jug.

STAGE 2: Depress the foot pedal fully to activate the rinse head, removing chemical residue and leaving a clean jug.

All DASH inductors are compatible with a pneumatic dry-mix agitator.

Air injection through the rinse line forces product from a jug faster than a traditional jug knife.

Anti-vortex plates reduce unloading time and prevent air from entering the water stream, helping eliminate foaming.





Convenient foot-pedal rinse controls are standard on all models.

STEP 2: KEEP CHEMICALS SEPARATE AND EFFECTIVE



STEP 3: UNLOAD AND RINSE



DUAL-STAGE UNLOAD AND RINSE:

INDUCTORS ARE AUTOMATICALLY RINSED AND DRAINED AS THEY ARE EMPTIED, USING THE DUAL-STAGE **GROUND-LEVEL CONTROLS.**

> As each control handle is closed, the respective inductor is automatically rinsed and drained before the main inductor valve is closed.





The air-powered diaphragm pump is the heart of the rinse and agitate system. This air-diaphragm pump powers all primary DASH functions: inductor and jug rinsing, dry chemical agitation, and supplying fresh water to the included hand sprayer.

Ground-level

controls.

All models are available with your choice of pump and motor.



Brilliantly Fast

THE DASH DESIGN HAS TWO PRIMARY OBJECTIVES:

- 1. Keep the sprayer spraying by reducing fill times
- 2. Keep chemicals safely separated during sprayer loading






DASH 1.6 PRIMARY PAGE 12

DASH 1.6 SECONDARY(S)


THE DASH 1.6 IS DESIGNED TO GROW WITH YOUR OPERATION.

DASH 2.6 PAGE 14

DASH 2.6 BOASTS THE SAME FEATURES AS ITS BIG BROTHER — IN A SMALLER PACKAGE.







DASH 4.6 PAGE 16

DASH 4.6 IS DESIGNED TO MAXIMIZE EFFICIENCY AND INCREASE CHEMICAL EFFICACY.

DASH 4.6 REAR MOUNT PAGE 15

THE REAR-MOUNT DASH 4.6 IS DESIGNED FOR EXISTING TANKER, FLATDECK, OR GRAIN-BOX APPLICATIONS.






LEARN MORE ABOUT THE DASH PRODUCT LINE BY VISITING: PHIBER.CA/DASH



ALLOW THE DASH 1.6 TO GROW WITH YOUR OPERATION


By combining Primary and multiple Secondary units to fit your requirements, the DASH 1.6 offers the same features as the 2.6 and 4.6 models.



PHIBER


DASH 1.6 units come standard with 3" plumbing, but can be configured with 2" upon request.

Multiple Secondary units may be added to the Primary DASH 1.6 to handle varying chemical requirements in a single load.



DASH 1.6 Primary

DASH 1.6 Secondary(s)



Inductor controls in two locations provide flexibility to operate the DASH 1.6 from the trailer or ground level.

Foot-pedal controls for inductor rinse functions.

COMPATIBLE KITS:

- -Cage
- -Tote platform
- -Dry-mix agitate
- -Jug knife
- -Boom
- -Hose reel
- -Steps
- -Tanks

ivieasurement		1.6 Primary		1.6 Secondary	
Width	in (mm)	25	(640)	25	(64)
Length	in (mm)	54	(1370)	54	(137)
Height	in (mm)	61	(1550)	61	(155)
Weight	lb (kg)	120	(55)	110	(50)
DASH Specifications					
75gal (285L) Inducto	r Capacity	X	1	x1	
Air-Diaphragm Rinse	Pump	20 GPM (75.7 LPM)		NA	
Manual Hand Sprayer		~		N/	4
Water Agitate		✓		NA	
Dry Mix Agitate		OPTIONAL		OPTIONAL	
Jug Knife		OPTIONAL		OPTIONAL	



DASH 2.6 BOASTS THE SAME FEATURES AS ITS BIG BROTHER IN A SMALLER PACKAGE

ALL OF THE FUNCTIONALITY OF THE DASH 4.6 — IN A SMALLER FOOTPRINT.

56"



150 GALLONS OF STORAGE 2 x 75 gallon (285 L)

Easy-to-read indicators.

Ground-level controls allow the operator to access DASH functions from a central

59"

Displayed with an optional electric-start Honda engine and 3" Banjo pump.


> The air-diaphragm pump is controlled by an adjustable regulator.

Measurement		2.	6	
Width	in (mm)	56	(1420)	
Length	in (mm)	59	(1500)	
Height	in (mm)	62	(1570)	
Weight	lb (kg)	600	(273)	
DASH Specifications				
Pump of Choice		~	′	
75gal (285L) Inductor Capacity		x2		
Air-Diaphragm Rinse Pump		20 GPM (75.7 LPM)		
Manual Hand Sprayer		√	,	
Water Agitate		✓		
Dry Mix Agitate		OPTIONAL x2		
Jug Knife		OPTIONAL x2		
Air-Diaphragm Chem Pump		OPTIONAL x1		

location.







THE REAR-MOUNT DASH 4.6 IS DESIGNED FOR EXISTING TANKER, FLATDECK, OR GRAIN-BOX APPLICATIONS.

The rear-mount DASH 4.6 comes with all the same features as the center-mount DASH and includes a flip-down work platform, DOT-approved lighting, and license plate holder.

Measurement		4.6 Rear		
Width	in (mm)	99	(2510)	
Length	in (mm)	71	(1800)	
Height	in (mm)	71	(1800)	
Weight	lb (kg)	1350	(614)	
DASH Specifications				
Pump of Choice		✓		
75gal (254L) Inductor Capacity		x4		
Air-Diaphragm Rinse Pump		40 GPM (151.4 LPM)		
Manual Hand Sprayer		✓		
Rear Tail Lights		✓		
Flip Down Rear Work Platform		✓		
Dry Mix Agitate		OPTIONAL x4		
Jug Knife		OPTIONAL x4		
Air-Diaphragm Chem Pump		OPTIONAL x2		





DASH 4.6 IS DESIGNED TO MAXIMIZE EFFICIENCY AND INCREASE CHEMICAL EFFICACY

Four 75-gallon (285 L) inductors — providing a total of 300 gallons (1,140 L) of chemical capacity — enable the DASH to support high-volume sprayers.

Easy-to-read indicators.





67.25"



Easy-pull handles allow the operator to control the DASH from one central location and load the sprayer from ground level.



Two additional air-diaphragm pumps can be integrated for chemical transfer from totes.

Measurement		4.6 Ce	enter	
Width	in (mm)	99	(2510)	
Length	in (mm)	71	(1800)	
Height	in (mm)	71	(1800)	
Weight	lb (kg)	1330	(605)	
DASH Specifications				
Pump of Choice		✓		
75gal (254L) Inductor Capacity		x4		
Air-Diaphragm Rinse Pump		40 GPM (151.4 LPM)		
Manual Hand Sprayer		✓		
Dry Mix Agitate		OPTIONAL x4		
Jug Knife		OPTIONAL x4		
Air-Diaphragm Chem Pump		OPTIONAL x2		

DASH 4.6

PhiBer.ca | 1.866.264.8030 info@phiber.ca





PhiBer University





*All trailers available with multiple water capacities.

DASH CARRIER

• 2-4 Drone Capacity



28' GOOSENECK OR PINTLE

- Spring-Ride Suspension
- Four Tote Capacity



45' TANDEM

- Air- or Spring-Ride Trailer Option
- Eight Tote Capacity





SPRAYER TRAILER

Air-Ride Suspension



45' TRI-AXLE

- Air-Ride Suspension
- Eight Tote or Pallet Carrying Capacity



50' TRI-AXLE

- Air-Ride Suspension
- 12 Tote or Pallet Carrying Capacity
- DASH 4.6 Standard





TANKS

Includes hoops for mounting and internal baffles.


735 (Gal)	48 x 104 x 54
3250 (Gal)	88 x 146 x 79
3750 (Gal)	88 x 146 x 91
4250 (Gal)	88 x 146 x 101





HUNTER BROTHERS SPECIAL EDITION

Includes: sound system, Yeti cooler, pneumatic overhead lighting, and more!







FIRE HOSE



3" INTAKE FILTER



20















FUEL TANK 20 GPM, 25 ft fuel line 200 gal/900 L auto shut-off nozzle









TOTE TRANSFER HOSE







BUILD YOUR OWN DASH TODAY!










TAKE YOUR SPRAY SEASON TO NEW HEIGHTS

The DASH Carrier is the latest innovation in the PhiBer line of spray tendering, bringing cutting-edge technology to the drone industry.



UNIFRAME TRAILER

Standard Equipment:

- 30 ft uniframe design
- Control Tower
- Configurable chemical storage
- Space for 2 totes plus stackable 150 gal storage containers for bulk products
- Breaker panel sized for matching generator
- Touchscreen controls for hot tank management from control station

Optional Equipment:

- 40 kW or 70 kW continuous-duty silent generators (available in varying phases and voltages)
- 14+ hrs of run time, Deutz diesel engine with engine-mounted air compressors (14 CFM @120 PSI)
- Generators meet Tier 4 Final emissions standards
- 16.5k axles with 2350 gal of water
- 16.5k axles with 1850 gal of water
- 12k axles with 1065 gal of water







MIXING

Standard Equipment:

- 500 gal of hot mix storage (2 × 250 gal)
- Drone refill hose
- Drone rinsing and wash station
- Pneumatic pumps for chemical transfer, mixing, and loading drones

Optional Equipment:

- Choose either mixing system for making batches of product:
 - PhiBer DASH 1.6 Mixing Station (manual)
 - Praxidyn Mixmate (automated)
- Air-diaphragm chemicaltransfer pumps







CONTROL TOWER

Standard Equipment:


- Roof to provide shade
- Two operator chairs
- Dual work stations
- 120V plugs and USB charging
- Storage drawers under work stations

Optional Equipment:

- Screened-in control station
- Climate-controlled control tower with air conditioning
- Lighting for night operations
- Speaker system for music







DASH 4.6 CENTER & REAR MOUNT

400145 Center-Mount DASH 4.6

400178 Rear-Mount DASH 4.6

400150 **Suction Boost Kit**

400133 Banjo Wet-Seal Pump, 13-HP Honda Electric Start

400131 John Blue Pump, 13-HP Honda Electric Start

400130 John Blue Cast Iron Pump, 13-HP Honda Electric Start

400119 Jug Knife

400033 Chem Transfer Air Pump, 1" (20 GPM)

400086 Chem Transfer Air Pump, 1 1/2" (40 GPM)

400070 Dry-Mix Agitate

400137 Storage Cover

400146 Gas Can

400167 Light Kit

400085 **IBC Tote Rinse**







400146









DASH 1.6

400151 DASH 2.6

400132 Pacer, 6.5-HP

DASH 2.6

400133 Banjo Wet-Seal Pump, 13-HP

400131 John Blue Pump, 13-HP

400130 John Blue Cast Iron Pump, 13-HP

400119 Jug Knife

400070 Dry-Mix Agitate 400085 IBC Tote Rinse 400033 Chem Transfer Air Pump, 1" (20 GPM) 400086 Chem Transfer Air Pump, 1 1/2" (40 GPM)



DASH 1.6 Primary 400153 **DASH 1.6 Secondary** 400157

Jug Knife 400119

Dry-Mix Agitate 400070

Chem Transfer Air Pump, 1 1/2" (40 GPM) 400086




400119

400033 & 400086 25



ALL DASH KITS ARE AVAILABLE AS INDEPENDENT MODULAR ADDITIONS OR UPGRADES TO ANY SPRAY-TENDER APPLICATIONS

CHEMICAL MANAGEMENT ACCESSORIES



400078 Tote Platform

400083 Under-Platform Cargo Net

400058 Ladder Kit

400035 Tote Transfer Hose 1 1/2" x 10'

400077 Tote Strap Kit (Set of 4)

400079 Cage 72"

400080 Cage 54"

400088 Bag Holder

400097 Cage Tote Transfer Hose

400133 Banjo Wet-Seal Pump, 13-HP Honda

400131 John Blue Pump, 13-HP Honda

400130 John Blue Cast Iron Pump, 13-HP Honda

400033 Chem Transfer Air Pump, 1" (20 GPM)

400086 Chem Transfer Air Pump, 1 1/2" (40 GPM)

400129 Chem Transfer Air Pump, 1 1/2" (40 GPM) (Stackable)

400085 IBC Tote Rinse






















400079 & 400080








400133



400033 & 400086





ALL DASH KITS ARE AVAILABLE AS INDEPENDENT **MODULAR ADDITIONS OR UPGRADES TO ANY SPRAY-TENDER APPLICATIONS**

FLUID TRANSFER ACCESSORIES

400075 Boom

400023 Standalone Boom Mount

400084 **Dual Boom** 400094 **Boom Blowout** 400093 Fire Nozzle (75')

Electric Hose Reel (Hose Not Incl.) 400240







400084

400094

WATER MANAGEMENT ACCESSORIES

400095 Water Control Manifold

400444 6" to 4" QDC

400096 Aux Side Fill

400098 Aux Rear Fill 400126 3" Intake Filter

400107 3/4" Hose, Tank Fill

400108 2" Hose, Tank Fill

400005 Deck Bulkhead



400005



400108 & 400107



400240



400126



400096



400095



MISCELLANEOUS ACCESSORIES

400058 Ladder Kit 400089 ATV Ramp Kit

400059 60-Gal Air Storage Tank

400123 Fuel Tank

400127 Pressure Washer (14 HP, 4000 PSI, 3.5 GPM, 75 ft hose)

400026 Trailer Steps (41") 400055 Trailer Steps (34")

400163 Hunter Brothers Special Edition

400166 Solar Charger







Includes: Sound System, Yeti Cooler, Pneumatic Overhead Lighting and more!

400163







400123







Spray Faster. Cover More. Waste Less.

Maximize efficiency and minimize waste with the DASH Autonomous Spraying System precision-engineered for modern fields.







Toll-Free: 866.264.8030 International: 204.873.2448 www.PhiBer.ca

(CANADA:

108 New Hope Dr., Box 58 Crystal City, MB ROK 0N0



68 Main Steet, Box 54 Sarles, ND 58372



M AUSTRALIA:

17 Wild Avenue, Moama NSW 2731

